



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/801,543

03/17/2004

Gerard Hillion

PET-2130

2321

23599

7590

06/24/2009

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.

2200 CLARENDON BLVD.

SUITE 1400

ARLINGTON, VA 22201

EXAMINER

WARTALOWICZ, PAUL A

ART UNIT

PAPER NUMBER

1793

NOTIFICATION DATE

DELIVERY MODE

06/24/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docketing@mwzb.com

Office Action Summary	Application No. 10/801,543	Applicant(s) HILLION ET AL.	
	Examiner PAUL A. WARTALOWICZ	Art Unit 1793	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 June 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 and 21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 and 21 is/are rejected.
- 7) ☒ Claim(s) 17 and 18 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 5/11/9 have been fully considered but they are not persuasive.

Applicant argues that Khare does not suggest mixing zinc oxide and zinc nitrate and nitric acid, prior to adding peptized alumina gel.

However, it appears that claim 21 recites mixing zinc oxide and zinc nitrate and nitric acid, prior to adding alumina gel (although the claim does not recite whether the alumina gel is peptized), claim 1 recites adding an alumina, already having been peptized, to a mixture of zinc oxide and zinc nitrate. It appears that claims 1 and 21 are closer to example 2 than example 4 (low crush strength) (although, it is unclear from example 2 whether alumina is first added to the mixture of zinc oxide and zinc nitrate or if alumina and nitric acid are added simultaneously to the mixture of zinc oxide and zinc nitrate). It appears that applicant is drawing a distinction between a process in which zinc nitrate is mixed with zinc oxide, then alumina is introduced into that mixture of zinc oxide and zinc nitrate (example 2) and a process in which zinc oxide is added to alumina, and then zinc nitrate is added to that mixture of alumina and zinc oxide (example 4).

However, Khare teaches that the zinc component and alumina component can be added together to form a mixture, and then adding acid to that mixture of the zinc component and alumina component (col. 1, col. 3). In the alternative, Khare teaches that the alumina may be added to acid, the zinc component may be added to acid, and

Art Unit: 1793

then the two mixtures can be added together (this appears to meet the process steps of claim 1 and 21) (col. 1, lines 45-55, col. 3, lines 1-20). The zinc component is a mixture of zinc oxide and zinc nitrate (col. 1, lines 45-55). Therefore, it appears that Khare teaches mixing zinc oxide and zinc nitrate together and then adding alumina to that mixture of zinc oxide and zinc nitrate in accordance with claims 1 and 21 and example 2.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 17 recites the limitation "zinc oxide" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Claim 18 recites the limitation "zinc oxide" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Claim Objections

Claims 17 and 18 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim.

Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. It appears that the recitation of "replaced by zinc nitrate or carbonate" in claims 17 and 18 fail to further limit the independent claims 1 and 16, respectively. Independent claims 1 and 16 recite that zinc oxide is replaced by zinc nitrate. It appears that claims 17 and 18 are broader

Art Unit: 1793

than claims 1 and 16, respectively. The recitation of "carbonate" in line 2 of claims 17 and 18 should be deleted.

Claims 17 and 18 are objected to because of the following informalities:

After the recitation "by" in line 2 of claims 17 and 18, the recitation --an equivalent amount of-- should be inserted. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-4, 6, 7, 12-19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khare (U.S. 5710091) in view of Dodwell (US 2003/0232723).

Khare teaches that the zinc component and alumina component can be added together to form a mixture, and then adding acid to that mixture of the zinc component

Art Unit: 1793

and alumina component in a liquid medium (col. 1, col. 3). In the alternative, Khare teaches that the alumina may be added to aqueous nitric acid, the zinc component may be added to acid, and then the two mixtures can be added together (this appears to meet the process steps of claim 1 and 21) (col. 1, lines 45-55, col. 2, lines 38-61, col. 3, lines 1-20). The zinc component is a mixture of zinc oxide and zinc nitrate (col. 1, lines 45-55). Therefore, it appears that Khare teaches mixing zinc oxide and zinc nitrate together and then adding alumina to that mixture of zinc oxide and zinc nitrate in accordance with claims 1 and 21 and example 2.

Additionally, it appears that claim 21 recites mixing zinc oxide and zinc nitrate and nitric acid, prior to adding alumina gel. For purposes of examination, the alumina gel limitation is being treated as an alumina gel having been peptized before addition to the mixture of zinc oxide, zinc nitrate, and nitric acid.

Khare fail to teach the temperatures and time periods of stages a, b, and c. Khare also fail to teach the size of the extruding die.

Khare teaches a method of making zinc aluminate (col. 1) wherein a mixture of zinc oxide and zinc nitrate or zinc carbonate (col. 1) which is contacted with nitric acid (col. 2, 3) is combined with alumina peptized with nitric acid (col. 3) to form a paste (col. 3).

From this disclosure, it would have been obvious to one of ordinary skill in the art to provide operating conditions such as 30 to 60 minutes reaction time to form a mixture of zinc oxide with zinc nitrate or zinc carbonate and nitric acid as disclosed by Khare and 60 to 120 minutes of mixing time to form a paste of zinc compounds and peptized

Art Unit: 1793

alumina (col. 2, 3) in Khare through routine experimentation so as to obtain a mixture and paste thoroughly mixed as taught by Khare.

Additionally, Khare teach that it is known to use a suitable means for mixing such as muller mixers and impact mixers as these are well known in the art to provide for thorough mixing (col. 3).

Khare teach that mixtures of zinc oxide and zinc carbonate or zinc nitrate can be used because these zinc compounds combine with alumina to form zinc aluminate (col. 1).

Khare recites that a mixture of zinc oxide, zinc nitrate, and zinc carbonate can be used (col. 1). Therefore, a mixture of zinc oxide, zinc nitrate, and zinc carbonate would result in a 0.33/0.33/0.33 ratio of zinc oxide/zinc nitrate/zinc carbonate in accordance with claimed the claimed proportion of substitution of zinc oxide by an equivalent amount of zinc nitrate.

Khare fail to teach that the mixture of zinc compounds and alumina is extruded, but instead forms a paste that is spray-dried (col. 3).

However, Dodwell teaches a method of making a zinc aluminate absorbent [0015] wherein it is known to form a paste and extrude the paste into a shape based on the end use of the product [0026].

Therefore, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to provide for an extrusion step in place of the spray drying step in Khare based upon the end use of the product [0026] as taught by Dodwell.

Additionally, Dodwell teaches that the shaped support is subsequently dried at a temperature of 80-143°C and then calcined at a temperature of 204-982°C for 1-60 hours [0027, 0028].

Therefore, it would have been obvious to one of ordinary skill in the art to provide drying at a temperature of 80-143°C in air and calcination at a temperature of 204-982°C for 1-60 hours [0027, 0028] in Khare in order to produce a zinc aluminate in a substantially similar process as taught by Dodwell.

Regarding claim 13, it appears that Dodwell teaches the temperature range for calcining (204-982°C) and calcining time (1-60 hours) such that one of ordinary skill in the art would determine the drying times at different temperatures of claim 11 through routine experimentation.

As to the limitation wherein stage (c) consists in extruding the paste that is thus obtained from a die with a diameter of between 1.5 and 3.7 mm of diameter, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to provide extruding paste that is thus obtained from a die with a diameter between 1.5 and 3.7 mm of diameter in order to obtain a size desirable for the end use of the product. Changes in size would have been obvious to one of ordinary skill in the art. *In re Rose* 105 USPQ 237 (See MPEP 2144.04).

Regarding claims 14, 15, and 19, it appears that the prior art teaches a substantially similar process as that of the claimed invention such that the product produced by the prior art process is substantially similar to the product of the claimed invention, including properties of the product produced.

Claims 5, 10, 11, 14, 15 , and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khare (U.S. 5710091) in view of Dodwell (US 2003/0232723) and Walker (U.S. 4370310).

Khare teaches a method as described above in claim 1.

Khare fails to teach the reaction temperature, heating the extrudate in a ventilated oven.

Walker teaches a method of making zinc aluminate (col. 1) wherein it is known to react zinc oxide with alumina at elevated temperatures (col. 1).

Therefore, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to provide a temperature of 60-65°C in Khare because it is known in the art of producing zinc aluminate to react zinc oxide and alumina at elevated temperatures and that the reaction temperature could be readily determined through routine experimentation.

Walker teaches a process for making zinc aluminate (col. 1) wherein a paste of zinc oxide and alumina hydrate are dried in a forced draft oven (col. 3) depending on the size of the extrudate or other physical shape in which the paste has been formed (col. 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to provide the claimed drying conditions of the extrudate in Khare because it is known to vary the drying conditions (col. 2) of the extrudate based upon size and shape as taught by Walker.

Additionally, it appears that Dodwell teaches the temperature range for drying (80-143°C) and drying time (1.5-20 hours) such that one of ordinary skill in the art would determine the drying times at different temperatures of claim 11 through routine experimentation.

Additionally, such variance of drying conditions is a result of routine experimentation in the absence of unexpected results.

Regarding claims 14, 15, and 19, it appears that the prior art teaches a substantially similar process as that of the claimed invention such that the product produced by the prior art process is substantially similar to the product of the claimed invention, including properties of the product produced.

Claims 8, 9, 14, 15, 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khare (U.S. 5710091) in view of Dodwell (US 2003/0232723) and Andersen (U.S. 5830305).

Khare teaches a process as described above in claim 1.

Khare fails to teach the pressure at which the paste is extruded.

Regarding the limitation wherein a pressure of higher than 2 MPa is exerted on the die so as to obtain compact extrudates that have a flawless surface condition and wherein at the end of operation the pressure again becomes less than 2 MPa, the recovered extrudates are not preserved, Andersen teaches wherein it is well known to impart pressure on dies of from 50 psi to 20000 psi for the purpose of maximizing strength and structural intensity (paragraph 253, lines 1-12).

Therefore, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to provide pressure on dies of from 50 psi to 20000 psi in Khare in order to maximize strength and structural intensity (paragraph 253, lines 1-12) as taught by Anderson.

Regarding the limitation wherein the recovered extrudates are not preserved, it would be obvious to not impart pressure on dies at the above mentioned pressures if the desired effect was to not impart strength and structural intensity as taught by Andersen.

Regarding claims 14, 15, and 19, it appears that the prior art teaches a substantially similar process as that of the claimed invention such that the product produced by the prior art process is substantially similar to the product of the claimed invention, including properties of the product produced.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PAUL A. WARTALOWICZ whose telephone number is (571)272-5957. The examiner can normally be reached on 8:30-6 M-Th and 8:30-5 on Alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on (571) 272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Paul Wartalowicz
June 14, 2009

/Stanley Silverman/
Supervisory Patent Examiner, AU 1793